

TECHNICAL DATA

Fluke Networks Pro3000™ Tone Generator



Key features

- Send tone signal up to 10 miles (16 km) on most cables
- Analog tone generator with bed-of-nails clips
- SmartTone™ provides 5 distinct tones for exact pair identification
- Continuity testing and line polarity confirmation
- Tone can be traced by a compatible analog probe (sold separately)

Product overview: Fluke Networks Pro3000™ Tone Generator

The Pro3000™ unfiltered toner, for use on inactive networks, uses SmartTone™ technology, with five different tones to allow the technician to easily identify individual pairs. Angled-bed-of-nails clips allow easy access to individual wires, and the RJ11 connector is ideal for use on telephone jacks.

Specifications: Fluke Networks Pro3000™ Tone Generator

Ordering information



26200900

The Pro3000™ unfiltered toner, for use on inactive networks, uses SmartTone™ technology, with five different tones to allow the technician to easily identify individual pairs. Angled-bed-of-nails clips allow easy access to individual wires, and the RJ11 connector is ideal for use on telephone jacks.

Includes:

- Pro3000™ Analog Tone Generator"
-



Fluke. *Keeping your world up and running.®*

Fluke Corporation
PO Box 9090, Everett, WA 98206 U.S.A.

For more information call:
In the U.S.A. (800) 443-5853
In Canada (800) 36-FLUKE
From other countries +1 (425) 446-5500
www.fluke.com

©2025 Fluke Corporation.
Specifications subject to change without notice.
06/2025

**Modification of this document is not permitted
without written permission from Fluke
Corporation.**