

TECHNICAL DATA

Fluke Networks FI2-7300 FiberInspector™ Pro, Includes Versiv Mainframe



Key features

- MPO and single strand fiber inspection camera with instant Live View
- Includes FI-3000 FiberInspector Ultra camera, Versiv main/remote, and accessories
- Autofocus/Auto centering multi-camera design and automated pass/fail
- Total MPO visibility from full trunk to individual end face
- For single strand fiber and 1 or 2 rows of 8/12/16 UPC or APC connectors

Product overview: Fluke Networks FI2-7300 FiberInspector™ Pro, Includes Versiv Mainframe

The FI2-7300 FiberInspector™ Pro makes inspecting MPO and single fiber optic cables easy and efficient. Integrates with Versiv / LinkWare or with mobile phones for testing and sharing using the Fi-In app. The multiple camera Live View provides an instant, real-time image with simple touchscreen gestures to view the full connector down to individual end faces. Automated pass/fail results are available in seconds. Compact, ergonomic design with autofocus makes it comfortable and fast. Versiv2 mainframe included.

Specifications: Fluke Networks FI2-7300 FiberInspector™ Pro, Includes Versiv Mainframe

Ordering information



FI2-7300

Fluke Networks FI2-7300 FiberInspector™ Pro, Includes Versiv Mainframe

Includes:

- FI-3000 FiberInspector™ Ultra camera
- Versiv Mainframe
- MPO Probe
- USB-USB C cable to connect the probe to the mainframe
- Tip set (12/24 UPC and 12/24 APC)
- Blank module to protect the mainframe's rear connector
- AC charger
- Shoulder strap
- USB interface cable
- Integrated Wi-Fi
- Getting started guide
- Soft carrying case

Fluke. *Keeping your world up and running.®*

Fluke Corporation
PO Box 9090, Everett, WA 98206 U.S.A.

For more information call:
In the U.S.A. (800) 443-5853
In Canada (800) 36-FLUKE
From other countries +1 (425) 446-5500
www.fluke.com

©2025 Fluke Corporation.
Specifications subject to change without notice.
06/2025

**Modification of this document is not permitted
without written permission from Fluke
Corporation.**